

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|-------|--|---|------------------|---------|------------------|
| S1 | 9887 | 380/41-47,28-30,201-210,217,227-232,236-237,239-252,255-273,37,275,277-286.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/21 13:12 |
| S2 | 6975 | 709/201-203.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/21 13:12 |
| S3 | 11022 | 713/150-171,181-183,189-202.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/21 13:12 |
| S4 | 591 | 725/31.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/21 13:12 |
| S5 | 25950 | S1 or S2 or S3 or S4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/21 13:13 |
| S6 | 15583 | S5 and key | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/11 07:58 |
| S7 | 10561 | S6 and encrypt\$6 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/21 13:19 |
| S9 | 7468 | S7 and ((data or message or file) near (encrypt\$6 or protect\$4)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/21 13:21 |

| | | | | | | |
|-----|------|---|---|----|----|------------------|
| S10 | 4584 | S9 and ((common or symmetric or public or asymmetric or first or second) adj key) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/21 13:22 |
| S11 | 4315 | S10 and (authentic\$7 or safe or secure\$2) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/21 13:24 |
| S12 | 3568 | S11 and (transmit or transmission) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/21 13:25 |
| S13 | 3543 | S12 and (send\$4 or receive\$4 or client or server or host) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/21 13:27 |
| S14 | 2297 | S12 and bit | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/21 13:28 |
| S16 | 2176 | S14 and (decrypt\$6 or decode\$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/21 13:31 |
| S17 | 9887 | 380/41-47,28-30,201-210,217,227-232,236-237,239-252,255-273,37,275,277-286.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/21 16:23 |
| S18 | 6975 | 709/201-203.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/21 16:23 |

| | | | | | | |
|-----|-------|--|---|----|----|------------------|
| S19 | 11022 | 713/150-171,181-183,189-202.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/21 16:23 |
| S20 | 591 | 725/31.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/21 16:23 |
| S21 | 25950 | S17 or S18 or S19 or S20 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/21 16:23 |
| S22 | 15583 | S21 and key | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/21 16:23 |
| S23 | 10561 | S22 and encrypt\$6 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/21 16:23 |
| S24 | 7468 | S23 and ((data or message or file) near (encrypt\$6 or protect\$4)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/21 16:23 |
| S25 | 4584 | S24 and ((common or symmetric or public or asymmetric or first or second) adj key) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/21 16:23 |
| S26 | 4315 | S25 and (authentic\$7 or safe or secure\$2) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/21 16:23 |

| | | | | | | |
|-----|------|--|---|----|----|------------------|
| S27 | 3568 | S26 and (transmit or transmission) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/21 16:23 |
| S28 | 2297 | S27 and bit | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/21 16:23 |
| S29 | 2176 | S28 and (decrypt\$6 or decode\$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/21 16:23 |
| S30 | 4572 | (message or text) adj header | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/06 09:52 |
| S31 | 2556 | S30 and (encrypt\$4 or encipher\$4 or key) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/06 09:54 |
| S32 | 31 | S31 and (header near key) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/10 08:08 |
| S33 | 2338 | zip and header | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/10 08:08 |
| S34 | 917 | S33 and encrypt\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/10 08:09 |

| | | | | | | |
|-----|------|--|---|----|----|------------------|
| S35 | 277 | S34 and @ad<"20000607" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/10 08:17 |
| S36 | 9942 | 380/41-47,28-30,201-210,217, 227-232,236-237,239-252,255-273, 37,275,277-286.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/10 08:17 |
| S37 | 6087 | S36 and @ad<"20000607" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/10 08:18 |
| S38 | 1522 | S37 and ("first portion" or "first region" or header or head) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/10 10:04 |
| S39 | 404 | S38 and (("first portion" or "first region" or header or head) with (key or passcode or password)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/10 11:52 |
| S40 | 367 | (encrypt or encipher or encode) near (head or header) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/10 11:59 |
| S41 | 186 | S40 and @ad<"20000607" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/10 12:34 |
| S42 | 127 | header adj encryption | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/10 12:35 |

| | | | | | | |
|-----|-------|--|---|----|----|------------------|
| S43 | 56 | S42 and @ad<"20000607" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/10 14:28 |
| S44 | 2 | "5638445".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/10 14:28 |
| S45 | 9946 | 380/41-47,28-30,201-210,217, 227-232,236-237,239-252,255-273, 37,275,277-286.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/11 07:58 |
| S46 | 7061 | 709/201-203.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/11 07:58 |
| S47 | 11218 | 713/150-171,181-183,189-202.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/11 07:58 |
| S48 | 597 | 725/31.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/11 07:58 |
| S49 | 26271 | S45 or S46 or S47 or S48 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/11 07:58 |
| S50 | 15792 | S49 and key | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/11 07:58 |

| | | | | | | |
|-----|------|--|---|----|----|------------------|
| S51 | 1369 | S50 and key near (size or length or width) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/11 07:59 |
| S52 | 585 | S51 and @ad<"20000607" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/11 08:01 |
| S53 | 465 | S52 and (symmetric or common) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/11 08:01 |
| S54 | 368 | S53 and (public or asymmetric) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/11 08:08 |
| S55 | 139 | S54 and (symmetric or common) adj key | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/11 08:08 |
| S56 | 127 | S55 and (public or asymmetric) adj key | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/11 08:08 |